


End-to-End MPLS for Operational Telecom made easy

XTran XTD-2110-A Access node



OTN Systems
committed to get your information across

XTD-2110-A

DIN-rail mountable

Compact size

Optical 1G LAN ports (SFP)

Native MPLS-TP support

1G or 10G WAN links

MACsec WAN Encryption

SD card for easy configuration swap

Extended temperature range through passive cooling


Serial ports RS232/422/485

Synchronization: Sync-E & IEEE 1588 PTP v2

Electrical 1G LAN ports with POE+

Support for L2 & L3 VPN

EMC Hardened (IEEE 1613, IEC 61850, EN50121-4)




Digital Input & Output


Redundant 24-57VDC Power input

PART OF THE XTRAN ECO SYSTEM

Scalability in port count and bandwidth



END-TO-END MPLS, CENTRALLY MANAGED





INTUITIVE NETWORK MANAGEMENT SYSTEM

Managed by **TXCare**

Wizard based

End-to-End provisioning



OTN SYSTEMS NV

Industrielaan 17b, 2250 Olen, Belgium

Tel: +32 14 25 28 47

Fax: +32 14 25 20 23

E-mail: info@otnsystems.com

www.otnsystems.com

Ref. No.: XB-B088-E-1

Issued June, 2020

Specifications subject to change as design improvements are implemented.

©2020 OTN Systems NV - All rights reserved.



OTN Systems
committed to get your information across